

References

- [1]. Williams, M. (2002). *Deforesting the Earth: from Prehistory to Global Crisis*. Chicago, USA, University of Chicago Press, 543pp.
- [2]. FAO, (2010). *Global Forest Resources Assessment – main report*. FAO Forestry Paper No. 163. Rome, www.fao.org/docrep/013/i1757e/i1757e00.html (10/12/2013).
- [3]. Rahman khan, M. M., Chen, T., Lague, C., Landry, H., Peng, Q., and Zhong, W. (2010). Compressive properties of hemp (*Cannabis sativa* L.) stalks. *biosystems engineering*, 106: 315-323.
- [4]. Amaducci, S., Zatta, A., Pelatti, F., and Venturi, G. (2008). Influence of agronomic factors on yield and quality of hemp (*Cannabis sativa* L.) fibre and implication for an innovative production system. *Field Crops Research*, 107: 161–169.
- [5]. Saif Ur Rehman, M., Rashid, N., Saif, A., Mahmood, T., and Han, J. (2013). Potential of bioenergy production from industrial hemp (*Cannabis sativa* L.): Pakistan perspective. *Renewable and Sustainable Energy Reviews*, 18: 154–164.
- [6]. Piotrowski, S., and Carus, M. (2011). *Ecological benefits of hemp and flax cultivation and products*. Nova Institute, 5: 1-6.
- [7]. Van der Werf, H., and Turunen, L. (2008). The environmental impacts of the production of hemp and flax textile yarn. *Industrial Crops and Products*, 27: 1–10.
- [8]. Barbera, L., Pelach, M. A., Perez, I., Puig, J., Mutje, P. (2011). Upgrading of hemp core for papermaking purposes by means of organosolv process. *Industrial Crops and Products*, 34 (1): 563–571.
- [9]. Dutt, D., Upadhyaya, J.S., Ray, A. K., Malik, R. S., and Upadhyaya, M. K. (2002). Development of specialty paper is an art: wax match paper from indigenous raw materials. Part I. *Industrial Crops and Products*, 61 (12): 1046–1050.
- [10]. De Groot, B. (1995). Hemp pulp and paper production: paper from hemp xylem core. *Journal of industrial Hemp*, 2 (1): 31–34.
- [11]. Van der Werf, H., Harsveld, J., Bouma, A., and Tencat, M. (1994). Quality of hemp (*Cannabis sativa* L.) stems as a raw material for paper. *Industrial Crops and Products*, 2: 219-227.
- [12]. Kabir, M. M., Wang, H., Lau, K. L., and Cardona, F. (2013). Effects of chemical treatments on hemp fibre structure. *Applied Surface Science*, 276:13–23.
- [13]. Munder, F., and Furl, C. (2004). Effective processing of bast fiber plants and mechanical properties of the fibers. ASAE/CSAE Meeting Paper No. 046091. St. Joseph, Mich., ASAE, 17pp.
- [14]. Karus, M., and Kaup, M. (2002). Natural fibres in the European automotive industry. *journal of industrial Hemp*, 7(1): 119–132.
- [15]. Batra S. K. In: Lewin M, Pearce EM, editors. (1998) *Handbook of Fibre Chemistry*. New York, Marcel Dekker Inc, 3rd ed., 1044pp.
- [16]. Li, X., Wang, S., Du, G., Wu, Zh., and Meng, Y. (2013). Variation in physical and mechanical properties of hemp stalk fibers. *Industrial Crops and Products*, 42: 344–348.
- [17]. Sengloung, Th. (2009). *Phenological characteristics and fiber properties of THAI Hemp (Cannabis sativa L.)*. A Thesis Submitted in Partial Fulfillment of the Requirements for the Degree of Doctor of Philosophy (Botany) Graduate School, Kasetsart University, 130 pp.

